



# Coffeemar G546H KEY

COFFEEMAR G546H KEY



## COLOR



## COFFEEMAR G546H KEY

Enjoy the perfect combination of style and quality with our coffee machine, designed with elegance and innovation to satisfy the most demanding tastes. Manufactured to the highest standards, our machine is dedicated to offering you a unique experience in every coffee cup. Immerse yourself in the luxury of quality coffee, with our Coffeemar G546H KEY machine, which combines style, innovation and exceptional taste in every coffee glass.



**PRESSURE VALVE IN  
THE BREWING GROUP**



**ANTI-VANDAL  
PLATE LOCK**



**MOTORIZED WATER  
DISTRIBUTOR, WITHOUT  
SOLENOID VALVES**



**CUSTOMIZED SETUP TO SUIT  
YOUR REQUIREMENTS**



**J-SUITE**



**PAYMENT SYSTEMS  
WITH COIN AND CARD  
READERS**

## Main Features

| MACHINE NAME                   | Unpacked<br>MEASUREMENT | WEI-<br>GHT | CONSUMP-<br>TION | SERVICES | CANISTER                            | MIXER | PAYMENT<br>METHOD |
|--------------------------------|-------------------------|-------------|------------------|----------|-------------------------------------|-------|-------------------|
| COFFEEMAR G546H KEY            | 1829x600x597            | 135kg       | 230V/1150W       | 500      | 5 cabinet + sugar<br>+ coffee beans | 4     | Configurable      |
| COFFEEMAR G546H KEY<br>BLUETEC | 1829x600x597            | 132kg       | 230V/1150W       | 500      | 5 cabinet + sugar<br>+ coffee beans | 4     | Configurable      |

## FEATURES



- High adaptability in the selection of your payment system, thanks to the presence of 2 EVA-sized holes in the peripherals section of the machine.
- With the possibility of master configuration, with integrated numeric keypad, which allows up to 4 Jofemar satellite machines, to provide an integrated and complete solution for coffee and snack products.
- All variants meet the ADA (Americans with Disabilities Act) requirement.
- Stainless steel boiler with improved insulation that allows a reduction in energy consumption.
- 2 cup size possibilities depending on the dispenser installed (maximum height 117mm).
- A cup detection photocell that allows the user to use their own cup instead of getting a cup from the machine.
- Coin payment option thanks to the JF8.
- New 4.3" color graphic display.
- Self-calibrating of the flowmeter.
- Articulated waste buoy, allowing for better removal and cleaning operation.
- Improved accessibility to the waste area to facilitate removal and cleaning.

## DESIGN

New design that allows integration with the V8 Range. With its new graphic display and its elegant design with multiple colors and combinations with each other.

- Payment, selection and delivery systems of an easily accessible height.
- Lighting in the introduction and collection of coins.
- Backlit keyboard for low light environments.
- 36x56 mm display label that allows a more attractive presentation of the products.
- LED lighting in the glass collection area.






## OPTIONS

- It allows dispensing coffee without the need for a water connection, for this it has a water can inside.
- Option to put the Glass front, where the entire surface of the machine is covered with glass.
- Support for normal or Riella locks.
- Option of having a BT11 or other standard type of banknote reader.
- User validation card reader, such as our J-140.
- Option to put 70mm or 80mm sockets.
- Palette dispenser.
- Fresh brew option.

## PROGRAMMING

- Option to extract data with J-SUITE via J-LINK
- Display with the possibility of programming the size of texts and images.
- The control unit is incorporated into the display module, allowing a simple upgrade by using the USB port.
- DEX connector as the only solution for accounting and telemetry extraction.
- Programming button to access the different menus of the machine.

## CANISTER



|   | CANISTER                                   | CAPACITY (gr) | SERVICES |
|---|--|---------------|----------|
| 1 | COFFEE BEANS                               | 3.736         | 530      |
| 2 | CHOCOLATE                                  | 2.020         | 115      |
| 3 | MILK                                       | 2.770         | -        |
| 4 | DECAFFEINATION                             | 780           | 480      |
| 5 | OPTIONAL (Matcha tea, Broth, Chamomile...) | -             | -        |
| 6 | TEA  | 375           | 375      |
|   | SUGAR                                      | 4.620         | -        |

\*This information is general because it depends on the programming and the product extracted.

## TELEMETRY



Our Jofemar electronic system J-LINK offers a wide range of functionalities to all our machines. One of them is the ability to use J-SUITE, our comprehensive and unified solution for machine management that allows you full control of the machine from anywhere in the world.

## ADVANTAGES

- Compatibility across all Jofemar machines; you can use J-SUITE on all our products.
- Total stock control.
- Remote machine control from your computer, tablet, or mobile device.
- Compatible with other payment systems.
- Option to have a closed circuit card reader.
- Compatible with non-Jofemar machines through standard protocols.
- Control of product weight, cups and pallets.
- Control of product weight, cups and pallets.
- Control of product compositions.



**COST CUTTING**



**REAL-TIME STOCK  
CONTROL**



**CUSTOMER  
SATISFACTION**



**AGILITY IN  
ACCOUNTING**



**OPERATIONS  
ENHANCEMENT**



**ADMINISTRATIVE  
OPTIMIZATION**



**ENHANCED  
INFORMATION SECURITY**







**Innovation**  
technology

**Reliability**



**Jofemar**  
CORPORACIÓN

Ctra. Marcilla km 2  
31350 Peralta · Navarra · Spain

Tel. +34 948 75 12 12

Fax +34 948 75 04 20

[nacional@jofemar.com](mailto:nacional@jofemar.com)

[www.jofemar.com](http://www.jofemar.com)



100% Jofemar  
**Technology**



VE-CT165ES00M 0824