



TAOS FLY



VISION ESPLUS V8 + TAOS FLY



COLOR



TAOS FLY

TAOS FLY takes the point of sale to another level. Its compact and elegant design adapts to any environment, respecting the aesthetics of the machine and providing a modern and functional presence. The 10.1" touchscreen allows for the incorporation of advanced sales interfaces, maintaining almost total visibility of the product inside, which improves the user experience and enhances the presentation.



**ELECTROMAGNETIC
CLOSURE**



**CONFIGURATION
ACCORDING TO NEEDS**



J-SUITE



**HEIGHT
ADJUSTABLE**



**MODULARITY WITH
DIFFERENT SATELLITES**



**PERIMETER RGB
LED LIGHT**



**TOUCH
SCREEN**



**ADAPTABLE FOR ANY
SATELLITE MACHINE**

QENDRA + TAOS FLY



MACHINE NAME	Unpacked MEASUREMENT	WEIGHT	CONSUMPTION	MACHINE CONTROL	APPLICATION	KEYBOARD	PAYMENT METHOD
TAOS FLY	497 x 251 x 1138 mm	14 kg	12VDC/3A	Up to 4 machines	Vending	10,1" Touchscreen	Bank card holder

*Our TAOS FLY adds to any satellite machine: 84mm at the front, 34mm at the rear and 68mm at its overall width.

FEATURES

- Control unit that overlaps any Jofemar satellite machine.
- It includes a 10.1" touch screen, for product selection, display of detailed information about all of them, as well as credit.
- Includes electromagnetic closure, which is disconnected through a code to facilitate the recharging of the vending machine. In addition, it incorporates programmable safety systems that prevent the sale of products unsuitable for consumption, control the temperature and their expiry dates.
- It allows you to control the cutting temperature of the vending machine.
- Continuous self-testing of operation.
- Security, both in payments and in the sale of products.
- Allows the installation of any bank card holder.
- Automation of management through telemetry in a web environment. Optimal traceability of products and stocks.
- Reliable data capture.
- Control unit with an integrated payment system capable of managing up to a maximum of four dispensing units.
- Interactive navigation. Product selection based on categories and support for multiple languages and sales modes.



DESIGN

The Taos Fly stands out for its compact and elegant design, designed to blend in stylishly into any environment. Its small size allows for discreet placement without losing visual presence. The incorporation of RGB perimeter lighting adds a modern and dynamic touch, creating an attractive visual experience that can be adapted to different environments or brand styles.

- Possibility of installing the module at two different heights to adapt to the customer's needs and the possibility of complying with ADA regulations.
- Module door with electromagnetic closure with code opening for greater convenience when recharging the machine.
- Module cabinet adaptable to all satellite machines in the current Jofemar range.
- Access to the interior of the door through a locked lid.

OPTIONS

- Optionally, J-LINK.
- Possibility of incorporating different types of bank card readers.
- Possibility of equipping a peripheral on the front door
- Communications or installation preparation router to manage display software updates and image uploads from J-SUITE.
- ADA compliance possible thanks to its two height positions.

PROGRAMMING

- Optionally, J-LINK.
- Possibility of incorporating different types of bank card readers.
- Possibility of equipping a peripheral on the front door
- Communications or installation preparation router to manage display software updates and image uploads from J-SUITE.
- ADA compliance possible thanks to its two height positions.

TAOS FLY MODULE POSITIONS



MODULARITY

MACHINES TO BE CONTROLLED	NUMBER OF CONTROLLABLE MACHINES
VISION ESPLUS V8	4
VISION ESPLUS R290 V8	4
VISION SATELLITE V8	4
VISION SATELLITE R290 V8	4
VISION IRIS V8	4
VISION COMBOPLUS S R290 V8	4
QENDRA	4
QENDRA°	4

*Maximum number of satellite machines to be controlled in the vending variant

TELEMETRY



Our Jofemar electronic system **J-LINK** offers a wide range of functionalities to all our machines. One of them is the ability to use J-SUITE, our comprehensive and unified solution for machine management that allows you full control of the machine from anywhere in the world.

ADVANTAGES

- Compatibility with all Jofemar machines. You can use J-SUITE with all our products. Total stock control.
- Sending of technical and administrative alerts.
- Remote control of the machines from your computer, tablet, or mobile phone.
- Compatible with other payment systems.
- Option to have a closed-loop card reader.
- Compatible with non-Jofemar machines through standard protocols.
- Maximum data storage security.
- Automatic daily data backups.
- Full availability at any time.
- Access to sales statistics.



COST CUTTING



**REAL-TIME STOCK
CONTROL**



**CUSTOMER
SATISFACTION**



**AGILITY IN
ACCOUNTING**



**OPERATIONS
ENHANCEMENT**



**ADMINISTRATIVE
OPTIMIZATION**



**ENHANCED
INFORMATION SECURITY**





Innovation
technology

Reliability

100% Jofemar
Technology



Jofemar
CORPORACIÓN

Ctra. Marcilla km 2
31350 Peralta · Navarra · Spain

Tel. +34 948 75 12 12

Fax +34 948 75 04 20

nacional@jofemar.com

www.jofemar.com



VE-CT218EN001 1025