



COFFEEMAR
G546H
CAP

COFFEEMAR G546H CAP



COFFEEMAR G546H CAP



COLOR



COFFEEMAR G546H CAP BLUETEC GLASS



COFFEEMAR G546H CAP

Enjoy the perfect combination of style and quality with our coffee machine, elegantly designed to satisfy the most discerning tastes. Manufactured to the highest standards, our machine is dedicated to providing you with a unique experience in every cup of coffee. Immerse yourself in the luxury of quality coffee with our Coffeemar G546H CAP machine, which combines style, innovation, and exceptional flavor in every cup of coffee.



ANTI-VANDALISM PLATE
CLOSURE



CAPACITY AND VOLUME
OPTIMIZATION



J-SUITE



CUSTOMIZED SETUP TO SUIT
YOUR REQUIREMENTS



ADVERTISING
OPTIONS



LOW-ENERGY LED
LIGHTS

Main features

MACHINE NAME	Unpacked MEASUREMENT	WEIGHT	CONSUMPTION	SERVICES	CANISTER	MIXER	PAYMENT METHOD
COFFEEMAR G546H CAP	1829x600x597	135kg	230V/1150W	500	5 cabinet + sugar + coffee beans	4	Configurable
COFFEEMAR G546 H CAP GLASS	1829x600x597	140kg	230V/1150W	500	5 cabinet + sugar + coffee beans	4	Configurable
COFFEEMAR G546H CAP BLUETEC	1829x600x597	132kg	230V/1150W	500	5 cabinet + sugar + coffee beans	4	Configurable
COFFEEMAR G546H CAP BLUETEC GLASS	1829x600x597	140kg	230V/1150W	500	5 cabinet + sugar + coffee beans	4	Configurable

FEATURES



- High adaptability in the selection of your payment system, thanks to the presence of two EVA-sized slots in the machine's peripherals section.
- With master configuration capability, featuring an integrated numeric keypad, allowing for up to four Jofemar satellite machines to provide a complete and integrated solution for coffee and snack products.
- All variants comply with the ADA requirement (Americans with Disabilities Act).
- Stainless steel boiler with improved insulation allows for reduced energy consumption.
- Two cup size options depending on the installed dispenser (maximum height 117mm).
- Cup detection photocell enables the user to use their own cup instead of taking one from the machine.
- Coin payment option thanks to the JF8.
- New 4.3" color graphic display.
- Reduced noise emission.
- Flow meter auto-calibration.
- Articulated waste buoy, which allows for easier removal and cleaning operations.
- Improved accessibility to the waste area to facilitate removal and cleaning.

DESING

New design that allows integration with the V8 series. With its new graphic display and its elegant design with multiple colors and with the option to put the front Glass.

- Payment systems, product selection, and delivery at an easily accessible height.
- Illumination in the coin insertion and retrieval area.
- Backlit keypad for low-light environments.
- 36x56 mm display label that allows for a more attractive presentation of products.
- LED lighting in the cup retrieval area.






OPTIONS

- Allows dispensing coffee without needing a water connection, as it includes an internal water container.
- Option to install a Glass front, where the entire surface of the machine is covered with glass.
- Support for standard or Riella locks.
- Option to include a BT11 bill acceptor or another standard type.
- User validation card reader, such as our J-140.
- Option to use 70mm or 80mm cups.
- Stirrer dispenser.
- Fresh brew option.

PROGRAMMING

- Option for data extraction with J-SUITE using J-LINK.
- Display with customizable text and image sizes.
- The display's microprocessor has more power and memory than previous models.
- The display module includes the control unit, allowing for easy updates via the USB port.
- DEX connector as the sole solution for accounting and telemetry extraction in EVA-DTS format.
- Programming button to access the machine's various menus.

CANISTER



	CANISTER	CAPACITY (gr)	SERVICES
1	COFFEE BEANS	3.736	530
2	CHOCOLATE	2.020	115
3	MILK	2.770	-
4	DECAFFEINATION	780	480
5	OPTIONAL (Matcha tea, Broth, Chamomile...)	-	-
6	TEA	375	375
	SUGAR	4.620	-

*This information is general because it depends on the programming and the product extracted.



TELEMETRY



jLINK



jSUITE

Our Jofemar electronic system J-LINK offers a wide range of functionalities to all our machines. One of them is the ability to use J-SUITE, our comprehensive and unified solution for machine management that allows you full control of the machine from anywhere in the world.

ADVANTAGES

- Compatibility across all Jofemar machines; you can use J-SUITE on all our products.
- Total stock control.
- Remote machine control from your computer, tablet, or mobile device.
- Compatible with other payment systems.
- Option to have a closed circuit card reader.
- Compatible with non-Jofemar machines through standard protocols.
- Control of product weight, cups and pallets.
- Control of product weight, cups and pallets.
- Control of product compositions.



COST CUTTING



REAL-TIME STOCK
CONTROL



CUSTOMER
SATISFACTION



AGILITY IN
ACCOUNTING



OPERATIONS
ENHANCEMENT



ADMINISTRATIVE
OPTIMIZATION



ENHANCED
INFORMATION SECURITY





Innovation
technology

Reliability

100% Jofemar
Technology



Jofemar
CORPORACIÓN

Ctra. Marcilla km 2
31350 Peralta · Navarra · Spain

Tel. +34 948 75 12 12

Fax +34 948 75 04 20

nacional@jofemar.com

www.jofemar.com



VE-CT209EN001 0724